


WHAT IS CLAIMED IS:

1. A non-resonant two-photon absorbing material comprising a methine dye undergoing a non-resonant two-photon absorption.


2. The non-resonant two-photon absorbing material as claimed in claim 1, wherein the methine dye is at least one selected from the group consisting of a cyanine dye, a merocyanine dye and an oxonol dye.

3. The non-resonant two-photon absorbing material as claimed in claim 2, wherein the cyanine dye, the merocyanine dye and the oxonol dye are represented by the following formulae (1), (2) and (3), respectively:


Formula (1):



Formula (2):



Formula (3):




CI<sub>y</sub>


wherein Za<sub>1</sub>, Za<sub>2</sub> and Za<sub>3</sub> each represents an atomic group for forming a 5- or 6-membered nitrogen-containing heterocyclic ring, Za<sub>4</sub>, Za<sub>5</sub> and Za<sub>6</sub> each represents an atomic group for forming a 5- or 6-membered ring, Ra<sub>1</sub>, Ra<sub>2</sub> and Ra<sub>3</sub> each independently represents a hydrogen atom, an alkyl group, an alkenyl group, an aryl group or a heterocyclic group, Ma<sub>1</sub> to Ma<sub>14</sub> each independently represents a methine group, which may have a substituent or may form a ring together with another methine group, na<sup>1</sup>, na<sup>2</sup> and na<sup>3</sup> each represents 0 or 1, ka<sup>1</sup> and ka<sup>3</sup> each represents an integer of 0 to 3, provided that when ka<sup>1</sup> is 2 or more, multiple Ma<sub>3</sub>s may be the same or different and multiple Ma<sub>4</sub>s may be the same or different and when ka<sup>3</sup> is 2 or more, multiple Ma<sub>12</sub>s may be the same or different and multiple Ma<sub>13</sub>s may be the same or different, ka<sup>2</sup> represents an integer of 0 to 8, provided that when ka<sup>2</sup> is 2 or more, multiple Ma<sub>10</sub>s may be the same or different and multiple Ma<sub>11</sub> may be the same or different, CI represents an ion for neutralizing the electric charge, and y represents a number necessary for the neutralization of electric charge.

4. The non-resonant two-photon absorbing material as claimed in claim 3, wherein the cyanine dye, the merocyanine dye and the oxonol dye are represented by the following formulae (4), (5) and (6), respectively:


Formula (4):



Formula (5):



Formula (6):



wherein in formula (4),  $R_{a1}$  and  $R_{a2}$ ,  $Ma_3$  to  $Ma_5$ ,  $ka^1$ ,  $CI$  and  $y$  have the same meanings as in the formula (1),  $X_1$  and  $X_2$  each independently represents  $-O-$ ,  $-S-$ ,  $-NR_3-$  or  $-CR_4R_5-$ ,  $R_3$ ,  $R_4$  and  $R_5$  each independently represents a hydrogen atom, an alkyl group, an alkenyl group, an aryl group or a

heterocyclic group,  $R_1$  and  $R_2$  each independently represents a substituent, and  $a_1$  and  $a_2$  each independently represents an integer of 0 to 4, provided that when  $a_1$  and  $a_2$  each is 2 or more, multiple  $R_1$ s may be the same or different and may combine with each other to form a ring and multiple  $R_2$ s may be the same or different and may combine with each other to form a ring;

in formula (5),  $X_1$ ,  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_1$  and  $a_1$  have the same meanings as in the formula (4), and  $Ma_{10}$ ,  $Ma_{11}$ ,  $Ra_3$ ,  $Za_4$ ,  $ka^2$ ,  $CI$  and  $y$  have the same meanings as in the formula (2), provided that when  $a_1$  is 2 or more, multiple  $R_1$ s may be the same or different and may combine with each other to form a ring; and

in formula (6),  $Ma_{12}$  to  $Ma_{14}$ ,  $ka^3$ ,  $CI$  and  $y$  have the same meanings as in the formula (3),  $X_{11}$  and  $X_{12}$  each independently represents either O or S, and  $R_{11}$  to  $R_{14}$  each independently represents a hydrogen atom, an alkyl group, an alkenyl group, an aryl group or a heterocyclic group.

5. The non-resonant two-photon absorbing material as claimed in claim 4, wherein at least one of  $X_1$  and  $X_2$  in the formula (4) represents  $-O-$  or  $-NR_3-$ .

6. The non-resonant two-photon absorbing material as claimed in claim 5, wherein  $X_1$  and  $X_2$  in the formula (4) both represent  $-O-$ .

7. The non-resonant two-photon absorbing material as claimed in claim 4, wherein  $R_1$  and  $R_2$  in the formulae (4) and (5) both represent a chlorine atom.

8. The non-resonant two-photon absorbing material as claimed in claim 3, wherein in the formulae (2) and (3), the ring formed by  $Za_4$ ,  $Za_5$  or  $Za_6$  each is 2-pyrazolon-5-one, pyrazolidine-3,5-dione, rhodanine, indane-1,3-dione, thiophen-3-one, thiophen-3-one-1,1-dioxide, 1,3-dioxane-4,6-dione, barbituric acid, 2-thiobarbituric acid or coumarin-2,4-dione.

9. The non-resonant two-photon absorbing material as claimed in claim 4, wherein in the formula (5), the ring formed by  $Za_4$ ,  $Za_5$  or  $Za_6$  each is 2-pyrazolon-5-one, pyrazolidine-3,5-dione, rhodanine, indane-1,3-dione, thiophen-3-one, thiophen-3-one-1,1-dioxide, 1,3-dioxane-4,6-dione, barbituric acid, 2-thiobarbituric acid or coumarin-2,4-dione.

10. The non-resonant two-photon absorbing material as claimed in claim 4, wherein  $X_{11}$  and  $X_{12}$  in the formula (6) both represent O.

11. A non-resonant two-photon absorbing material

comprising a dye undergoing a non-resonant two-photon absorption in the intermolecular aggregation state.

12. The non-resonant two-photon absorbing material as claimed in claim 1, wherein the methine dye undergoes a non-resonant two-photon absorption in the intermolecular aggregation state.

13. The non-resonant two-photon absorbing material as claimed in claim 1, wherein the dye undergoing a non-resonant two-photon absorption has a two-photon absorbing cross-sectional area  $\delta$  of 1,000 GM or more.

14. A non-resonant two-photon emitting material comprising the dye undergoing a non-resonant two-photon absorption described in claim 1, wherein the dye undergoes a two-photon emitting.

15. A method for inducing a non-resonant two-photon absorption, which comprises irradiating the dye undergoing a non-resonant two-photon absorption described in claim 1 with a laser ray having a wavelength longer than the linear absorption band of the dye to induce a two-photon absorption.

16. A method for inducing a non-resonant two-photon

absorption, which comprises irradiating the dye undergoing a non-resonant two-photon absorption described in claim 1 with a laser ray having a wavelength longer than the linear absorption band of the dye and present in the range of 400 to 1,000 nm to induce a two-photon absorption.

17. A method for generating an emission, comprising irradiating the dye undergoing a non-resonant two-photon absorption described in claim 1, in which the dye undergoes a two-photon emitting, with a laser ray having a wavelength longer than the linear absorption band of the dye to induce a two-photon absorption and generate an emission.

18. An optical recording medium comprising the non-resonant two-photon absorbing material described in claim 1.

19. A three-dimensional volume display comprising the non-resonant two-photon absorbing material described in claim 1.

20. A three-dimensional stereolithography comprising the non-resonant two-photon absorbing material described in claim 1.